



MODEL: T-145 with Bayonet Cap

VOLTAGE:

DIMENSIONS: Inches (mm)

BATTERY: Flooded/wet lead-acid battery

COLOR: Maroon (case/cover)

MATERIAL: Polypropylene

HydroLink™ Watering System **WATERING SYSTEM:**





PRODUCT SPECIFICATIONS

BCI GROUP	ТҮРЕ	CAPACITY A Minutes		CAPACITY® Amp-Hours (AH)			ENERGY (kWh)	TERMINAL	DIMENSIONS ^c Inches (mm)			WEIGHT lbs.	
SIZE		@25 Amps	@75 Amps	5-Hr Rate	10-Hr Rate	20-Hr Rate	100-Hr Rate	100-Hr Rate	Type ^E	Length	Width	Height ^D	(kg)
6 VOLT DEEP CYCLE BATTERY - with T2 TECHNOLOGY™													
GC2	T-145	530	145	215	239	260	287	1.72	1, 2, 3, 4	10.30 (262)	7.11 (181)	11.90 (302)	72 (33)

- A. The number of minutes a battery can deliver when discharged at a constant rate at 80°F (27°C) and maintain a voltage above 1.75 V/cell. Capacities are based on peak performance.
- B. The amount of amp-hours (AH) a battery can deliver when discharged at a constant rate at 80°F (27°C) and 86°F (30°C) for the 5-Hour rate and maintain a voltage above 1.75 V/cell. Capacities are based on
- Dimensions are based on nominal size. Dimensions may vary depending on type of handle or terminal.
- D. Dimensions taken from bottom of the battery to the highest point on the battery. Heights may vary depending on type of terminal.
- E. Terminal images are representative only.

CHARGING INSTRUCTIONS

CHARGER VOLTAGE SETTINGS (AT 77°F/25°C)							
System Voltage	6V	12V	24V	36V	48V		
Absorption Charge	7.40	14.8	29.6	44.4	59.2		
Float Charge	6.60	13.2	26.4	39.6	52.8		
Equalize Charge	7.75	15.5	31.0	46.5	62.0		

Do not install or charge batteries in a sealed or non-ventilated compartment. Constant under or overcharging will damage the battery and shorten its life as with any battery.


CHARGING TEMPERATURE COMPENSATION

.028 VPC for every 10°F (5.55°C) above or below 77°F (25°C) (add .028 VPC for every 10°F (5.55°C) below 77°F and subtract .028 VPC for every 10°C above 77°F).

OPERATIONAL DATA


Operating Tem	perature	Self Discharge			
	20°C to +45°C). At temperatures () maintain a state of charge %.	5 – 15% per month depending on storage temperature conditions.			


TERMINAL CONFIGURATIONS




Trojan's battery testing procedures adhere to both BCI and IEC test standards.


BATTERY DIMENSIONS (shown with EHPT)








TROJAN T-145 PERFORMANCE



PERCENT CAPACITY VS. TEMPERATURE















Trojan batteries are available worldwide through Trojan's Master Distributor Network. We offer outstanding technical support, provided by full-time application engineers.

For a Trojan Master Distributor near you, call 800.423.6569 or + 1.562.236.3000 or visit www.trojanbattery.com

12380 Clark Street, Santa Fe Springs, CA 90670 • USA