

MOTIVE T875-AES

MODEL	T875-AES
VOLTAGE	8
CAPACITY	157Ah @ 20Hr
MATERIAL	Polypropylene
BATTERY	VRLA AGM / Non-Spillable / Maintenance-Free
COLOR	Maroon
WATERING	No Watering Required



8 VOLT

PHYSICAL SPECIFICATIONS

BCI	MODEL NAME	TERMINAL TYPE	DIMENSIONS [©] INCHES (mm)		WEIGHT I LBS. (kg)	HANDLES	INSTALLATION ORIENTATION	
		LENGTH WIDTH HEIGHT ^F					Horizontal	
GC8	T875-AES	M8/AP/LT	10.30 (262)	7.06 (179)	10.73 (273)	72 (33)	Embedded	and Vertical

ELECTRICAL SPECIFICATIONS

VOLTAGE	CRANKING PE	RFORMANCE	CAPACITY		CAPACITY ^B AMP-HOURS (Ah)		ENERGY (kWh) INTERNAL RESISTANCE (mΩ)		SHORT CIRCUIT CURRENT (amps)		
0	C.C.A. ^D @0°F	C.A. ^e @32°F	@ 25 Amps	@ 56 Amps	5-Hr	10-Hr	20-Hr	100-Hr	100-Hr	2.0	0700
0	-	-	310	120	130	142	157	169	1.35	3.0	2780

CHARGING INSTRUCTIONS

CHARGER VOLTAGE SETTINGS (AT 77°F/25°C)					
8V	24V	48V			
50% of $C_{\rm 20}$					
9.60	28.80	57.60			
9.00	27.00	54.00			
	8∨ 9.60	8∨ 24∨ 50% of C ₂₀ 9.60 28.80			

Do not install or charge batteries in a sealed or non-ventilated compartment. Constant under or overcharging will damage the battery and shorten its life as with any battery.

CHARGING TEMPERATURE COMPENSATION

ADD	SUBTRACT				
0.005 volt per cell for every 1°C below 25°C 0.0028 volt per cell for every 1°F below 77°F	0.005 volt per cell for every 1°C above 25°C 0.0028 volt per cell for every 1°F above 77°F				
OPERATIONAL DATA					

OPERATING TEMPERATURE	SELF DISCHARGE
-40°F to 140°F (-40°C to +60°C). At temperatures below 32°F (0°C) maintain a state of charge greater than 60%.	Less than 3% per month depending on storage temperature conditions

RECYCLE RESPONSIBLY





STATE OF CHARGE MEASURE OF OPEN-CIRCUIT VOLTAGE

PERCENTAGE CHARGE	CELL	8 VOLT
100	2.14	8.56
75	2.09	8.36
50	2.04	8.16
25	1.99	7.96
0	1.94	7.76




BATTERY DIMENSIONS (shown with M8)





TERMINAL TYPE⁶



The number of minutes of a balance of an other when discharged at a constant rate at 60°F (27°C) and maintain a voltage above 1.75 V/cell. Capacities are based on peak performance. В

Battery Council International

IE(

- С
- Dimensions may vary depending on type of handle or terminal. Batteries should be mounted with 0.5 inches (12.7 mm) spacing minimum.
- D. C.C.A. (Cold Cranking Amps) the discharge load in amperes which a new, fully charged battery can maintain for 30 seconds at 0°F (-18°C) at a voltage above 1.2 V/cell.


ARA Associate Member

. TROJAN


Designed in compliance with applicable BCI, DIN, BS and IEC standards. Tested in compliance to BCI and IEC standards.

Vicel This is sometimes referred to a main crash many and the second sec

Batteries in storage should be charged when they decline to 75% State of Charge (SOC).



SELF DISCHARGE VS. TIME[#]



800.423.6569 / +1.562.236.3000 / trojanbattery.com

QUALITY SYSTEM CERTIFIED BY DNV

© 2023 Trojan Battery Company, LLC. All rights reserved. Trojan Battery Company is not liable for damages that may result from any information provided in or omitted from this publication, under any circumstances. Trojan Battery Company reserves the right to make adjustments to this publication at any time, without notice or obligation.

F G

H.

Weight may vary.